

Product data sheet TS 500 N EN3



Floor spring for single leaf single and double-action doors of up to 950 mm leaf width with fixed closing force EN 3 and with optional hold-open function

AREAS OF APPLICATION

- → Fire and smoke protection doors
- → Right and left single- and double-action doors
- → Single- and double-action doors up to 950 mm leaf width and 100 kg weight
- → Floor mounting, concealed

TS 500 N EN3



PRODUCT FEATURES

- → Fixed closing force of EN3
- → Can be used for right and left hand doors without conversion
- → Closing speed can be individually adjusted
- → Hydraulic latching action which accelerates the door shortly before it is closed
- ightarrow Integrated back check, slows down doors that are thrown open forcefully
- → All functions can be adjusted from above and in the installed state

TECHNICAL DATA

Productname	TS 500 N EN3		
Suitability for fire protection doors	Yes		
Barrier-free in accordance with DIN 18040 up to leaf width (max.) in mm	950 mm		
Use on single-/double-action door	Single-action door, Double-action door		
Type of installation	Floor		
Opening angle (max.)	170 °		
Closing force in accordance with EN 1154	EN 3		
Leaf width (max.)	950 mm		
Leaf weight (max.)	100 kg		
DIN direction	left / right		
Closing force adjustable	No		
Adjustable closing speed	Yes		
Back check integrated	Mechanically fixed		
Position of closing force adjustment	Тор		
Hold-open of fire protection doors	No		

PART

FLOOR SPRING COVER PLATE

For TS 500 NV / TS 500 N EN3



TS 500 N EN3



Designation	Description	Ident-No.	Colour
Cover plate GEZE floor spring	For TS 500 NV / TS 500 N EN3	103012	Brass
Cover plate GEZE floor spring	For TS 500 NV / TS 500 N EN3	102127	Stainless steel

CLOSER BODY TS 500 N EN3

Basic body for floor-mounted door closer EN3



Designation GEZE TS 500 N EN3 closer GEZE TS 500 N EN3 closer GEZE TS 500 N EN3 closer GEZE TS 500 N EN3 closer

CLOSER BODY TS 500 N EN3

Basic body for floor-mounted door closer EN3



Designation

GEZE TS 500 N EN3 closer